

# NIKAI®



Embrace  
Effortless Living!

**PRODUCT CATALOGUE**

2024-2025

[www.nikai.com](http://www.nikai.com)



# Air Conditioners





Indoor Unit E25

## SPLIT AC T3 PISTON - R410 SERIES


SPLIT TYPE AIR CONDITIONER  
RECIPROCATING (PISTON TYPE) - COOL ONLY

- T-3 Tropicalized Compressor
- Grooved copper tubing
- High Efficiency
- Piston Compressor
- Remote control
- Super Cool
- Low Noise
- Made in India with US Technology compressor
- With gold fins



Outdoor & Indoor unit will vary as per market.

Model	NSAC36138E25	NSAC30138E25	NSAC24138E25	NSAC18138EE25
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	3 T/Cool Only	2.5 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only
Compressor Type/Make	Piston-Emerson	Piston-Emerson	Piston-Emerson	Piston-Emerson
Climate/Type	Tropical T3	Tropical T3	Tropical T3	Tropical T3
Refrigerant	R410	R410	R410	R410
Remote/Pipe Kit /length	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr
Voltage, Frequency, Phase	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1160 X 245 X 325 1250 X 330 X 420	1200 X 410 X 330 1240 X 450 X 370	1001 X 290 X 230 1040 X 330 X 270	990 X 315 X 240 1030 X 345 X 270
Dimension Outdoor (MM) Product/Pack (L X D X H)	955 X 360 X 855 1105 X 480 X 930	955 X 360 X 855 1105 X 480 X 930	955 X 360 X 855 1105 X 480 X 930	890 X 320 X 700 1045 X 775 X 445
Stuffing/ 40 HC (E2/Eg)	100	100	140	140



Indoor Unit E24

### SPLIT AC T3 PISTON - R22 SERIES

SPLIT TYPE AIR CONDITIONER  
RECIPROCATING (PISTON TYPE) - COOL ONLY

- T-3 Tropicalized Compressor
- Grooved copper tubing
- High Efficiency
- Piston Compressor
- Remote control
- Super Cool
- Low Noise
- Made in India with US technology compressor
- With gold fins



Piston Compressor



Remote Control



Gold Coated Technology



Silent Operation



3d Swinging (Optional) Pattern Air Delivery Technology



Grooved Copper Tubing - 30% Higher Cooling



Sleep Mode Operation



Outdoor & Indoor unit will vary as per market.

Model	NSAC36138E24	NSAC30138E24	NSAC24138E24	NSAC18138EE24
Origin	INDIA	INDIA	INDIA	INDIA
Range/Function	3 T/Cool Only	2.5 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only
Compressor Type/Make	Piston-Emerson/KK	Piston-Emerson/KK	Piston-Emerson/KK	Piston-Emerson/KK
Climate/Type	Tropical T3	Tropical T3	Tropical T3	Tropical T3
Refrigerant	R22	R22	R22	R22
Remote/Pipe Kit /length	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr
Voltage, Frequency, Phase	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1200 X 410 X 330 1240 X 450 X 370	1100 X 320 X 255 1140 X 285 X 365	970 X 315 X 235 1010 X 285 X 365	970 X 315 X 235 1010 X 285 X 365
Dimension Outdoor (MM) Product/Pack (L X D X H)	905 X 700 X 360 945 X 740 X 400	990 X 810 X 455 1060 X 865 X 505	910 X 650 X 368 980 X 750 X 420	910 X 650 X 368 980 X 750 X 420
Stuffing/ 40 HC (E2/Eg)	110	110	150	150



Indoor Unit N25 - Premium Series



Indoor Unit N25 - Legend Series

### SPLIT AC T3 ROTARY - N25 SERIES

SPLIT TYPE AIR CONDITIONER  
ROTARY COMPRESSOR - COOL ONLY

- T-3 Tropicalized Compressor
- Grooved copper tubing
- High Efficiency cooling system
- Rotary Compressor
- Remote control
- Super Cool
- Low Noise
- With gold fins



Gold Coated Technology



Silent Operation



3d Swinging Pattern Air Delivery Technology



Grooved Copper Tubing - 30% Higher Cooling



Remote Control



Sleep Mode Operation



Independent De-Humidification



Outdoor & Indoor unit will vary as per market.

Model	NSAC36138N25	NSAC30138N25	NSAC24138N25	NSAC18138EN25	NSAC12138EN25
Origin	CHINA	CHINA	CHINA	CHINA	CHINA
Range/Function	3 T/Cool Only	2.5 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only	1T/Cool Only
Compressor Type/Make	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree
Climate/Type	Tropical T3	Tropical T3	Tropical T3	Tropical T3	Tropical T3
Refrigerant	R410	R410	R410	R410	R410
Remote/Pipe Kit /length	Yes/Optional/4 Mtr	Yes/Optional/4 Mtr	Yes/Optional/4 Mtr	Yes/Optional/4 Mtr	Yes/Optional/4 Mtr
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1160 X 245 X 325 1250 X 330 X 420	1160 X 245 X 325 1250 X 330 X 420	1030 X 240 X 320 1110 X 320 X 405	1030 X 240 X 320 1110 X 320 X 405	820 X 298 X 200 875 X 360 X 270
Dimension Outdoor (MM) Product/Pack (L X D X H)	955 X 360 X 855 1105 X 480 X 930	955 X 360 X 855 1105 X 480 X 930	890 X 320 X 700 1045 X 775 X 445	820 X 300 X 610 927 X 406 X 670	760 X 255 X 552 880 X 320 X 610
Stuffing/ 40 HC (E2/Eg)	100	100	145	165	260





Indoor Unit N24

### SPLIT AC T3 ROTARY - N24 SERIES

SPLIT TYPE AIR CONDITIONER  
ROTARY COMPRESSOR - COOL ONLY

- T-3 Tropicalized Compressor
- Grooved copper tubing
- High Efficiency cooling system
- Rotary Compressor
- Remote control
- Super Cool
- Low Noise
- With gold fins



Gold Coated Technology



Silent Operation



3d Swinging Pattern Air Delivery Technology



Grooved Copper Tubing - 30% Higher Cooling



Remote Control



Sleep Mode Operation



Independent De-Humidification



Outdoor & Indoor unit will vary as per market.

Model	NSAC36138N24	NSAC30138N24	NSAC24138N24	NSAC18138EN24	NSAC12138EN24
Origin	CHINA	CHINA	CHINA	CHINA	CHINA
Range/Function	3 T/Cool Only	2.5 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only	1 T/Cool Only
Compressor Type/Make	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree
Climate/Type	Tropical T3	Tropical T3	Tropical T3	Tropical T3	Tropical T3
Refrigerant	R410	R410	R410	R410	R410
Remote/Pipe Kit /length	Yes/Optional/4 Mtr	Yes/Optional/4 Mtr	Yes/Optional/4 Mtr	Yes/Optional/4 Mtr	Yes/Optional/4 Mtr
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1165 X 326 X 232 1243 X 409 X 319	1165 X 326 X 232 1243 X 409 X 319	1030 X 319 X 223 1102 X 395 X 305	1030 X 319 X 223 1102 X 395 X 305	805 X 270 X 197 864 X 332 X 265
Dimension Outdoor (MM) Product/Pack (L X D X H)	860 X 720 X 320 982 X 770 X 438	860 X 720 X 320 982 X 770 X 438	860 X 720 X 320 982 X 770 X 438	780 X 560 X 270 889 X 612 X 359	780 X 560 X 270 889 X 612 X 359
Stuffing/ 40 HC (E2/Eg)	138	138	149	196	243



Indoor Unit N23



Indoor Unit N22

### SPLIT AC T3 ROTARY - N23/N22 SERIES

SPLIT TYPE AIR CONDITIONER  
ROTARY COMPRESSOR - COOL ONLY

- T-3 Tropicalized Compressor
- Grooved copper tubing
- High Efficiency cooling system
- Rotary Compressor
- Remote control
- Super Cool
- Low Noise
- With gold fins



Gold Coated Technology



Silent Operation



3D Swinging Pattern Air Delivery Technology



Grooved Copper Tubing - 30% Higher Cooling



Remote Control



Sleep Mode Operation



Independent De-Humidification



Outdoor & Indoor unit will vary as per market.

Model	NSAC36138N23/ N22	NSAC30138N23/ N22	NSAC24138N23/ N22	NSAC18138EN23/ N22	NSAC12138EN23/ N22
Origin	CHINA	CHINA	CHINA	CHINA	CHINA
Range/Function	3 T/Cool Only	2.5 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only	1T/Cool Only
Compressor Type/Make	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree
Climate/Type	Tropical T3	Tropical T3	Tropical T3	Tropical T3	Tropical T3
Refrigerant	R410	R410	R410	R410	R410
Remote/Pipe Kit /length	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr
Voltage, Frequency, Phase	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1280 X 361 X 252 1420 X 440 X 335	1280 X 361 X 252 1420 X 440 X 335	1130 X 361 X 252 1270 X 440 X 335	970 X 310 X 230 1060 X 402 X 310	850 X 190 X 292 930 X 250 X 367
Dimension Outdoor (MM) Product/Pack (L X D X H)	970 X 37 X 805 1100 X 490 X 885	902 X 315 X 650 1026 X 425 X 750	820 X 597 X 330 945 X 670 X 430	820 X 597 X 330 945 X 670 X 430	700 X 256 X 551 810 X 365 X 623
Stuffing/ 40 HC (E2/Eg)	101	126	160	182	282



Indoor Unit N24

### INVERTER SPLIT AC T3 ROTARY - N24 SERIES

SPLIT TYPE AIR CONDITIONER  
ROTARY COMPRESSOR - COOL ONLY

- T-3 Tropicalized Compressor
- Grooved copper tubing
- High Efficiency cooling system
- Rotary Compressor
- Remote control
- Super Cool
- Low Noise
- With gold fins



Gold Coated Technology



Silent Operation



3D Swinging Pattern Air Delivery Technology



Grooved Copper Tubing - 30% Higher Cooling



Remote Control



Sleep Mode Operation



Independent De-Humidification



Outdoor & Indoor unit will vary as per market.

Model	NSAC30138N24INV	NSAC24138N24INV	NSAC18138EN24INV	NSAC12138EN24INV
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2.5 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only	1T/Cool Only
Compressor Type/Make	Rotary GMCC/ Gree	Rotary GMCC/ Gree	Rotary GMCC/ Gree	Rotary GMCC/ Gree
Climate/Type	Tropical T3	Tropical T3	Tropical T3	Tropical T3
Refrigerant	R410	R410	R410	R410
Remote/Pipe Kit /length	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr	Yes/Optional/ 4 Mtr
Voltage, Frequency, Phase	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph	220-240V/ 50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1165 X 240 X 332 1243 X 322 X 409	1165 X 240 X 332 1243 X 322 X 409	103 X 319 X 223 1102 X 305 X 395	805 X 270 X 197 864 X 265 X 331
Dimension Outdoor (MM) Product/Pack (L X D X H)	860 X 720 X 320 1015 X 775 X 445	860 X 720 X 320 1015 X 775 X 445	820 X 635 X 310 972 X 680 X 400	780 X 560 X 270 905 X 640 X 365
Stuffing/ 40 HC (E2/Eg)	138	158	196	223





Indoor Unit CP23



Indoor Unit CP22

### SPLIT AC T1 ROTARY COOL ONLY - CP23/CP22

SPLIT TYPE AIR CONDITIONER T1

- T-1 Tropicalized Compressor
- Grooved copper tubing
- High Efficiency
- Remote control
- Super Cool
- Low Noise
- With 3 meter Pipe Kit
- With gold fins



Gold Coated Technology



Silent Operation



2D Swinging Pattern Air Delivery Technology



Grooved Copper Tubing - 30% Higher Cooling



Remote Control



Sleep Mode Operation



Independent De-Humidification



Outdoor & Indoor unit will vary as per market.

Model	NSAC24432 CP23/CP22	NSAC18432 CP23/CP22	NSAC12432 CP23/CP22	NSAC09432 CP23/CP22
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T/Cool Only	1.5 T/Cool Only	1 T/Cool Only	0.75 T/Cool Only
Compressor Type/Make	Highly/Equivalent	Highly/Equivalent	Highly/Equivalent	Highly/Equivalent
Climate/Type	Tropical T1	Tropical T1	Tropical T1	Tropical T1
Refrigerant	R410/R22	R410/R22	R410/R22	R410/R22
Remote/Pipe Kit	Yes/Optional/3Mtr	Yes/Optional/3Mtr	Yes/Optional/3Mtr	Yes/Optional/3Mtr
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	970 X 310 X 230 1035 X 380 X 310	970 X 310 X 230 1035 X 380 X 310	800 X 292 X 190 865 X 335 X 240	720 X 292 X 190 785 X 335 X 240
Dimension Outdoor (MM) Product/Pack (L X D X H)	820 X 318 X 597 945 X 430 X 670	760 X 276 X 550 870 X 355 X 595	700 X 276 X 550 810 X 355 X 595	600 X 248 X 502 745 X 335 X 550
Stuffing/ 40 HC	182	229	305	355







Indoor Unit CP23






**SPLIT AC T1 ROTARY HOT & COOL - CP23/CP22**

SPLIT TYPE AIR CONDITIONER T1

- T-1 Tropicalized Compressor
- Grooved copper tubing
- High Efficiency
- Remote control
- Super Cool
- Low Noise
- With 3 meter Pipe Kit
- With attractive glass panels
- With gold fins

-  Gold Coated Technology
-  2D Swinging Pattern Air Delivery Technology
-  Remote Control
-  Independent De-Humidification

-  Silent Operation
-  Grooved Copper Tubing - 30% Higher Cooling
-  Sleep Mode Operation



Outdoor & Indoor unit will vary as per market.

Model	NSAC24432 HCP23/ HCP22	NSAC18432 HCP23/ HCP22	NSAC12432 HCP23/ HCP22	NSAC09432 HCP23/ HCP22
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T/Cool Only	1.5 T/Cool Only	1 T/Cool Only	0.75 T/Cool Only
Compressor Type/Make	Highly/Equivalent	Highly/Equivalent	Highly/Equivalent	Highly/Equivalent
Climate/Type	Tropical T1	Tropical T1	Tropical T1	Tropical T1
Refrigerant	R410/R22	R410/R22	R410/R22	R410/R22
Remote/Pipe Kit	Yes/Optional/3Mtr	Yes/Optional/3Mtr	Yes/Optional/3Mtr	Yes/Optional/3Mtr
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	970 X 310 X 230 1035 X 380 X 310	970 X 310 X 230 1035 X 380 X 310	800 X 292 X 190 865 X 335 X 240	720 X 292 X 190 785 X 335 X 240
Dimension Outdoor (MM) Product/Pack (L X D X H)	782 X 580 X 276 902 X 637 X 360	780 X 542 X 256 900 X 600 X 340	660 X 530 X 240 785 X 600 X 340	660 X 530 X 240 785 X 600 X 340
Stuffing/ 40 HC	182	229	305	355



Indoor Unit CP9



Indoor Unit CP10

**INVERTER SMART SERIES SPLIT AC T1 ROTARY - CP9 SERIES**

SPLIT TYPE AIR CONDITIONER T1, INVERTER SERIES - COOL ONLY

- Tropicalized Compressor
- Grooved copper tubing
- High Efficiency
- Inverter Compressor
- Remote control
- Super Cool
- Low Noise
- T1 with 3 meter Pipe Kit
- With inverter
- With gold fins



Gold Coated Technology



Silent Operation



3D Swinging Pattern Air Delivery Technology



Grooved Copper Tubing - 30% Higher Cooling



Remote Control



Sleep Mode Operation



Independent De-Humidification




Outdoor & Indoor unit will vary as per market.

Model	NSAC24432CP9INV	NSAC18432CP9INV	NSAC12432CP9INV	NSAC09432CP9INV
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T /Cool Only	1.5 T /Cool Only	1 T /Cool Only	0.75 T /Cool Only
Compressor Type/Make	Inverter GMCC/Equivalent	Inverter GMCC/Equivalent	Inverter GMCC/Equivalent	Inverter GMCC/Equivalent
Climate/Type	Tropical,T1	Tropical,T1	Tropical,T1	Tropical,T1
Refrigerant	R410	R410	R410	R410
Remote/Pipe Kit	Yes/Yes/3 Mtr	Yes/Yes/3 Mtr	Yes/Yes/3 Mtr	Yes/Yes/3 Mtr
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1025 X 231 X 320 1105 X 315 X 405	900 X 220 X 291 970 X 290 X 345	790 X 201 X 270 870 X 265 X 335	720 X 198 X 270 800 X 265 X 330
Dimension Outdoor (MM) Product/Pack (L X D X H)	860 X 720 X 320 1015 X 775 X 445	780 X 542 X 256 900 X 600 X 340	780 X 542 X 256 900 X 600 X 340	660 X 530 X 240 785 X 600 X 340
Stuffing/ 40 HC	142	235	264	300



Indoor Unit HCP9



Indoor Unit HCP10

### INVERTER SMART SERIES SPLIT AC T1 ROTARY - CP9 SERIES

SPLIT TYPE AIR CONDITIONER T1, INVERTER SERIES - HOT & COOL

- Tropicalized Compressor
- Grooved copper tubing
- High Efficiency
- Remote control
- Super Cool
- Low Noise
- T1 with 3 meter Pipe Kit
- Mode Hot & cool with inverter compressor
- With gold fins



Gold Coated Technology



Silent Operation



3D Swinging Pattern Air Delivery Technology



Grooved Copper Tubing - 30% Higher Cooling



Remote Control



Sleep Mode Operation



Independent De-Humidification



Outdoor & Indoor unit will vary as per market.

Model	NSAC24432HCP9INV	NSAC18432HCP9INV	NSAC12432HCP9INV	NSAC09432HCP9INV
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T /Heat & Cool	1.5 T /Heat & Cool	1 T/Heat & Cool	0.75 T /Heat & Cool
Compressor Type/Make	Inverter GMCC/ Equivalent	Inverter GMCC/ Equivalent	Inverter GMCC/ Equivalent	Inverter GMCC/ Equivalent
Climate/Type	Tropical,T1	Tropical,T1	Tropical,T1	Tropical,T1
Refrigerant	R410/R22	R410/R22	R410/R22	R410/R22
Remote/Pipe Kit	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1025 X 231 X 320 1105 X 315 X 405	900 X 220 X 291 970 X 290 X 345	790 X 201 X 270 870 X 265 X 335	720 X 198 X 270 800 X 265 X 330
Dimension Outdoor (MM) Product/Pack (L X D X H)	860 X 720 X 320 1015 X 775 X 445	780 X 542 X 256 900 X 600 X 340	780 X 542 X 256 900 X 600 X 340	660 X 530 X 240 785 X 600 X 340
Stuffing/ 40 HC	142	235	264	300



Indoor Unit CP9



Indoor Unit CP11

**INVERTER A++ SERIES SPLIT AC T1 ROTARY - CP9 SERIES**  
SPLIT TYPE AIR CONDITIONER T1, INVERTER SERIES - COOL ONLY

- Tropicalized Compressor
- Grooved copper tubing
- High Efficiency
- Inverter Compressor
- Remote control
- Super Cool
- Low Noise
- T1 with 3 meter Pipe Kit
- With inverter
- With gold fins



Gold Coated Technology



Silent Operation



3D Swinging Pattern Air Delivery Technology



Grooved Copper Tubing - 30% Higher Cooling



Remote Control



Sleep Mode Operation



Independent De-Humidification



Outdoor & Indoor unit will vary as per market.

Model	NSAC24432CP9INVA	NSAC18432CP9INVA	NSAC12432CP9INVA	NSAC09432CP9INVA
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T /Cool Only	1.5 T /Cool Only	1 T /Cool Only	0.75 T /Cool Only
Compressor Type/Make	Inverter GMCC/Equivalent	Inverter GMCC/Equivalent	Inverter GMCC/Equivalent	Inverter GMCC/Equivalent
Climate/Type	Tropical,T1	Tropical,T1	Tropical,T1	Tropical,T1
Refrigerant	R410	R410	R410	R410
Remote/Pipe Kit	Yes/Yes/3 Mtr	Yes/Yes/3 Mtr	Yes/Yes/3 Mtr	Yes/Yes/3 Mtr
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1025 X 231 X 320 1105 X 315 X 405	900 X 220 X 291 970 X 290 X 345	790 X 201 X 270 870 X 265 X 335	720 X 198 X 270 800 X 265 X 330
Dimension Outdoor (MM) Product/Pack (L X D X H)	860 X 720 X 320 1015 X 775 X 445	780 X 542 X 256 900 X 600 X 340	780 X 542 X 256 900 X 600 X 340	660 X 530 X 240 785 X 600 X 340
Stuffing/ 40 HC	142	235	264	300





Indoor Unit HCP9



Indoor Unit HCP11

**INVERTER A++ SERIES SPLIT AC T1 ROTARY - CP9 SERIES**

SPLIT TYPE AIR CONDITIONER T1, INVERTER SERIES - HOT & COOL

- Tropicalized Compressor
- Grooved copper tubing
- High Efficiency
- Inverter Compressor
- Remote control
- Super Cool
- Low Noise
- T1 with 3 meter Pipe Kit
- Mode Hot & Cool with inverter compressor
- With gold fins

- Gold Coated Technology
- 3D Swinging Pattern Air Delivery Technology
- Remote Control
- Independent De-Humidification

- Silent Operation
- Grooved Copper Tubing - 30% Higher Cooling
- Sleep Mode Operation



Outdoor & Indoor unit will vary as per market.

Model	NSAC24432HCP9INVA	NSAC18432HCP9INVA	NSAC12432HCP9INVA	NSAC09432HCP9INVA
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T /Heat & Cool	1.5 T /Heat & Cool	1 T/Heat & Cool	0.75 T /Heat & Cool
Compressor Type/Make	Inverter GMCC/Equivalent	Inverter GMCC/Equivalent	Inverter GMCC/Equivalent	Inverter GMCC/Equivalent
Climate/Type	Tropical,T1	Tropical,T1	Tropical,T1	Tropical,T1
Refrigerant	R410/R22	R410/R22	R410/R22	R410/R22
Remote/Pipe Kit	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1025 X 231 X 320 1105 X 315 X 405	900 X 220 X 291 970 X 290 X 345	790 X 201 X 270 870 X 265 X 335	720 X 198 X 270 800 X 265 X 330
Dimension Outdoor (MM) Product/Pack (L X D X H)	860 X 720 X 320 1015 X 775 X 445	780 X 542 X 256 900 X 600 X 340	780 X 542 X 256 900 X 600 X 340	660 X 530 X 240 785 X 600 X 340
Stuffing/ 40 HC	142	235	264	300



Front Grill E5



Front Grill E6

**WINDOW AC - T3 PISTON SERIES**  
WINDOW TYPE AIR CONDITIONER T3,  
PISTON SERIES - COOL ONLY

- Piston Compressor
- T-3 Compressor
- Grooved copper tubing
- Low Noise
- Robust & Sturdy Design



Piston  
Compressor



Grooved  
Copper Tubing



Low  
Noise

Model	NWAC24038E6	NWAC24038E5	NWAC18038E6	NWAC18038E5
Origin	INDIA	INDIA	INDIA	INDIA
Range/Function	2 T/Cool Only	1.5 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only
Compressor Type/Make	Piston / Emerson	Piston/ Emerson	Piston/ Emerson	Piston/ Emerson
Climate/Type	Tropical,T3	Tropical,T3	Tropical,T3	Tropical,T3
Refrigerant	R22	R22	R22	R22
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	660 X 430 X 805 745 X 550 X 820	660 X 430 X 770 755 X 555 X 865	660 X 430 X 805 745 X 550 X 820	660 X 430 X 770 755 X 555 X 865
Stuffing/ 40 HC	195	195	195	195



Front Grill N23



Front Grill N24

### WINDOW AC - T3 ROTARY SERIES

WINDOW TYPE AIR CONDITIONER T3, ROTARY SERIES - COOL ONLY



Low Noise



Grooved Copper Tubing

- Rotary Compressor
- T-3 Compressor
- Grooved copper tubing
- Low Noise
- Eco grill design
- Optimised Air flow

Model	NWAC24031N23	NWAC24031N24	NWAC18031N23	NWAC18031N24
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T/Cool Only	2 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only
Compressor Type/Make	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree	Rotary GMCC/Gree
Climate/Type	Tropical, T3	Tropical, T3	Tropical, T3	Tropical, T3
Refrigerant	R410	R410	R410	R410
Voltage, Frequency, Phase	220-240V/50Hz/1 Ph	220-240V/50Hz/1 Ph	220-240V/50Hz/1 Ph	220-240V/50Hz/1 Ph
Dimension Indoor (MM)	660 X 680 X 430	660 X 429 X 687	660 X 680 X 430	660 X 429 X 687
Product/Pack (L X D X H)	740 X 795 X 468	746 X 455 X 801	740 X 795 X 468	746 X 455 X 801
Stuffing/ 40 HC	234	230	234	230



CP24 Series

CP11 Series

### FLOOR STANDING AC

TOWER AIR CONDITIONER T3/T1

- T3/ T1 Compressor
- High efficiency
- Grooved copper tubing
- Scroll / Rotary Compressor
- Effective & Fast Cooling with digital display



Grooved  
Copper Tubing



Rotary  
Compressor

Model	NFAC60432CP24	NFAC48432CP24	NFAC48432HCP22	NFAC36432HCP22/HCP11
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	5 T/COOL ONLY	5 T/COOL ONLY	4 T/HOT & COOL/ COOL OPTIONAL	3 T/HOT & COOL/COOL ONLY OPTIONAL
Compressor Type/Make	Rotary GMCC/GREE	Rotary GMCC/GREE	Rotary GMCC/GREE	Rotary GMCC/GREE
Climate/Type	T3/Cool Only	T3/Cool Only	T3/HOT & COOL	T3/HOT & COOL
Refrigerant/Pipe Kit	R410/R22/Optional	R410/R22/Optional	R410/R22/5MTR	R410/R22/5MTR
Voltage, Frequency, Phase	380V-50Hz - 3 Phase	380V-50Hz - 3 Phase	240V-50Hz - 1 Phase	240V-50Hz - 1 Phase
Outdoor Unit	Double Fan	Double Fan	Double Fan/Single	Single Fan
Dimension Indoor (MM) Product/Pack (L X D X H)	1906 X 581 X 385 2023 X 705 X 506	1906 X 581 X 385 2023 X 705 X 506	1900 X 580 X 390 2020 X 710 X 480	1745 X 480 X 350 1875 X 625 X 440
Dimension Outdoor (MM) Product/Pack (L X D X H)	1030 X 1331 X 380 1150 X 1350 X 465	1030 X 1331 X 380 1150 X 1350 X 465	970 X 805 X 375 1100 X 885 X 490	902 X 315 X 650 1026 X 425 X 750
Stuffing/ 40 HC	40	40	T3-40/T1 54	83



CP25 Series




HCI24 Series



### FLOOR STANDING - PISTON SERIES

#### TOWER AIR CONDITIONER T3

- T3 Compressor
- High efficiency
- Grooved copper tubing
- Scroll LG compressor with double fan ODU
- Effective & Fast cooling design
- Gold / Silver / White color options



Model	NFAC36438C25	NFAC48156HCI24
Origin	CHINA	CHINA
Range/Function	3 T/COOL ONLY	4 T/HEAT & COOL
Compressor Type/Make	PISTON/Emerson Copeland	Inverter Rotary /GREE/GMCC
Climate/Type	T3/COOL ONLY	T3/COOL ONLY
Refrigerant/Pipe Kit	R410/4 Mtr (Optional)	R410/4 Mtr (Optional)
Voltage, Frequency, Phase	240V-50Hz - 1 Phase	240V-50Hz - 1 Phase
Outdoor Unit	Single Fan	Single Fan
Dimension Indoor (MM) Product/Pack (L X D X H)	1735 X 500 X 315 1840 X 607 X 438	1906 X 581 X 385 2023 X 705 X 506
Dimension Outdoor (MM) Product/Pack (L X D X H)	955 X 360 X 855 1105 X 480 X 930	1030 X 1331 X 380 1150 X 1350 X 465
Stuffing/ 40 HC	65	40





NPAC15512A5



NPAC12512A5

### PORTABLE AC COOL ONLY - SMART SERIES

PORTABLE AIR CONDITIONER - COOL ONLY

- With strong cooling power
- 1.1 meter exhaust hose
- Top mounted control panel, easy to use
- Casters equipped, convenient to move
- Air inlet filter
- Cupules to tie down the windows
- Window slide
- Caster stoppers to keep still in place
- Wall flange
- High efficiency
- Auto Evaporation
- Remote control



Grooved  
Copper Tubing



Rotary  
Compressor



Low  
Noise

Model	NPAC15512A5	NPAC12512A5
Origin	CHINA	CHINA
Range/Function	1.2 T/COOL ONLY	1 T/COOL ONLY
Compressor Type/Make	Rotary /GMCC/Equivalent	Rotary /GMCC/Equivalent
Climate/Type	Tropical/Cool Only	Tropical/Cool Only
Refrigerant/Pipe Kit	R410	R410
Voltage, Frequency, Phase	220-240V/50Hz/1 Ph	220-240V/50Hz/1 Ph
Remote/Moisture Control	Yes/Yes	Yes/Yes
Accessories	Air exhaust duct X 1 piece (1.1 meters with connector)	Air exhaust duct X 1 piece (1.1 meters with connector)
Dimension Indoor (MM) Product/Pack (L X D X H)	374 X 455 X 757 462 X 515 X 885	327 X 441 X 700 402 X 506 X 885
Stuffing/ 40 HC	400	340



NPAC12512A4



NPAC12000C



### PORTABLE AC COOL ONLY - LEGEND SERIES

PORTABLE AIR CONDITIONER - COOL ONLY

- With strong cooling power
- 1.1 meter exhaust hose
- Top mounted control panel, easy to use
- Casters equipped, convenient to move
- Air inlet filter
- Cupules to tie down the windows
- Window slide
- Caster stoppers to keep still in place
- Wall flange
- High efficiency
- Auto Evaporation
- Remote control



Grooved  
Copper Tubing



Rotary  
Compressor



Low  
Noise

Model	NPAC12512A4	NPAC12000C
Origin	CHINA	CHINA
Range/Function	1 T/COOL ONLY	1 T/COOL ONLY
Compressor Type/Make	Rotary /GMCC/Equivalent	Rotary /GMCC/Equivalent
Climate/Type	Tropical/Cool Only	Tropical/Cool Only
Refrigerant/Pipe Kit	R410	R410
Voltage, Frequency, Phase	220-240V/50Hz/1 Ph	220-240V/50Hz/1 Ph
Remote/Moisture Control	Yes/Yes	Yes/Yes
Accessories	Air exhaust duct X 1 piece (1.1 meters with connector)	Air exhaust duct X 1 piece (1.1 meters with connector)
Dimension Indoor (MM)	435 X 350 X 715	360 X 370 X 750
Product/Pack (L X D X H)	482 X 392 X 850	408 X 545 X 880
Stuffing/ 40 HC	420	375

**NIKAI®**

Showroom: Tel: +971 4 3368090 | Fax: +971 4 3368091 | Service Centre: +971 4 8850055  
Toll Free: 800-NIKAI (800-64524) | Email: [customercare@nikai.com](mailto:customercare@nikai.com) | Website: [www.nikai.com](http://www.nikai.com)  
Email: [customercare@nikai.com](mailto:customercare@nikai.com) | [www.facebook.com/NikaiGroup](http://www.facebook.com/NikaiGroup)

---

For Wholesale Enquiries: Tel: +971 4 2561386 | Email: [Wssupport@nikai.com](mailto:Wssupport@nikai.com)  
Service Contact No: +971 56 4180125 | Email: [Wsservice@nikai.com](mailto:Wsservice@nikai.com)